




FREEslide eTouch¹⁶


by Kesseböhmer



<http://support.kesseboehmer.de/freelift-etouch>



**Vorserienversion
Pre-series version**



403722 0000

05/2015

12.0001.010.432.0000.00




KESSEBÖHMER

i				mm	

1				mm	

i

mm



KH	U = KH - HH - K					
	X	D	HH	T	V1	V2
320 - 360	157	274.5	278	≥ 281	128	177
345 - 420	185	302.5	328	≥ 333	146	205
380 - 500	220	337.5	390	≥ 393	168	240
430 - 600	265	382.5	470	≥ 473	196	284




403722 0000

05/2015






12.0001.010.432.0000.00

KESSEBÖHMER

1



2




403722 0000

05/2015


12.0001.010.432.0000.00

KESSEBÖHMER

3



4





403722 0000

05/2015



12.0001.010.432.0000.00

KESSEBÖHMER

5



6




403722 0000

05/2015


12.0001.010.432.0000.00

KESSEBÖHMER


7



8




9



403722 0000




10



05/2015







12.0001.010.432.0000.00



KESSEBÖHMER










A 3D diagram of a rectangular prism. The vertical edge on the left is labeled 'KH' with arrows indicating its extent. The horizontal edge on the bottom front is labeled 'X' with arrows indicating its extent.



KH	X
320 - 360	157
345 - 420	185
380 - 500	220
430 - 600	265







403722 0000




05/2015

12.0001.010.432.0000.00

KESSEBÖHMER

14



i

