


11 trous de vis

Proprietary rights apply in accordance with ISO 16016.

| |
|----|
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |
| .. |

| | |
|-------|------|
| OWNER | |
| Ferro | |
| DIFF | |
| ORD. | REG. |
| .. | .. |
| .. | .. |
| .. | .. |
| .. | .. |
| .. | .. |
| .. | .. |

Remark
..



| | | | | | | | | | |
|-----------------------|---------------------|---------------------|-------------------|----------|------------|-------------------|-------|-------------------|----------|
| Tolerance WN 05311 | Material Profile | .. | .. | Standard | .. | Mass Weight (g) | .. | Surface (cm²) | .. |
| Scale 3:100 | Revision: m: d: | Version: m:0 d:0 | Date 21-Feb-11 | Level | .. | Surface treatment | .. | Thermic treatment | .. |
| Date | Mod. No. | First Release | Sig. | Ver. | .. | .. | Pr-Gr | .. | Part-No. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| .. | .. | .. | .. | Draft | 21/02/2011 | LA | Pr-Gr | .. | Part-No. |
| .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |

20080521



Description
SECURY AUTOMATIQUE 50/70
TT16 C7 L-2150 D-1045
-

| | | | |
|-----------------|------------------------|------|--------------|
| Replacement for | .. | Size | 4 |
| Drawing No. | 6-29175-01-0-00 | | Sheet 1/1 |
| SAP | .. | | |